Monthly, Annual, and Mean Snowfall in Inches at Marlinton. S.L.Brown, Observer.

(3)

Year	Jan	Feb	Mar	Apr	May	Oct	No v	Dec	Annua
1893			1					1	
1893	M	18.5	1.0		• • • • • •	•••••	.2.5	3.0	
1894	6.0	18.0	1.0	T.			. 5.0	M	
1895	М	8.0	10.5	1.0.			0.5	9.8	
1896	1.1	3.1	14.2	1.5.			3.0	2.0	24.9
1897	10.0	13.5	6.0	T			1.0	4.0	34.5
1898	9.0	3.0	6.0	2.5			3.5	11.	7 35.7
1899	4.0	27.5	3.0	T			т	8.0	42.5
1900	T	7.0	21.0	T			1.5	2.5	32.0
1901	9.3	1.5	0.5				. м	M	
19.2	M	м	М	м		1.0	1.5	11.0	
1903	М	М	М	M	T		3.0	12.0	
1904	10.5	10.5	М	T	T		М	М	
1905	М	М	T	1.0			- M	M	
1906	м	3.5	26.5	••••			- M	м.	
1907	М	М	М				М	м.	
1908	M	32.0	M	м		.т	7.0	20.0	
1909	14	м	М	м.,			м	М	
1910	5.0	9.0	4.0			т	. т	15.0	33.0
1911	9.0	3.5	6.5				.0.2		20.7
	11/5	4	5.5		1		1	- 1	
			TI	.0					31.0
		20.0	15.5						
	19.0		6.0	0.5		T 2	2.0		
1916	10.5	6.5	7.0					1.0	34.5
1917	6.5	6.0	2.5	Т		3.0	T	14.5	38,0

Monthly, Annual, and Mean Snowfall in Inches at Marlinton. S.L.Brown, Observer.

(3)

Year	Jan	Feb] Mar	Apr	May	Oct	No v	Dec	Annua
1893									
1893	M	18.5	1.0		• • • • •	•••••	.2.5	3.0	
1894	6.0	18.0	1.0	T.			. 5.0	M	
1895	М	8.0	10.5	1.0.			0.5	9.8	
1896	1.1	3.1	14.2	1.5.			3.0	2.0	24.9
1897	10.0	13.5	6.0	T			1.0	4.0	34.5
1898	9.0	3.0	6.0	2.5			3.5	11.	7 35.7
1899	4.0	27.5	3.0	T			Т	8.0	42.5
1900	T	7.0	21.0	T			1.5	2.5	32.0
1901	9.3	1.5	0.5				. м	M	
19.2	M	М	М	М		1.0	1.5	11.0	
1903	M	М	M	M	T		3.0	12.0	
1904	10.5	10.5	М	T	T		М	М	
1905	М	M	T	1.0	••••		. м	M	
1906	М	3.5	26.5				. M	м.	
1907	М	М	М				M	м .	
1908	M	32.0	М	М		т.	7.0	20.0	
1909	М	М	М	м.,			м	M	
1910	5.0	9.0	4.0			т	. т	15.0	33.0
1911	9.0	3.5	6.5				.0.2		20.7
	11/5		5.5					.0	31.0
		1.0	T	.0			3.0		
1914	14.6	20.0	15.5					1	
1715	19.0	T	6.0	0.5		T 2	2.0		34.5
1916	10.5	6.5	7.0	10.0		•••••			34.3
1917	6.5	6.0	2.5	т		3,0	т.	14.5.	48.5

ear	Jan	Feb	Mar	Apr	May	Oct	No v	Dec	Annua
	31.0	5.0	T	8.5	•••		T	1.5	46.0
	8.5	7.5	T	T			0.5	6.5	23.0
1920	1.0	5.0	0.5	2.0			м.	2.5	M
1921	9.0	10.0	T	T		T	T	5.5	24.5
1922	15.0	16.0	1.5	T	• • • • •	T	0.5	1.0	34.0
1923	9.5	9.0	2.0	0	1.5		T	1.0	23.0
1924	2.0	9.0	3.5	2.0			5.0	T	21.5
1925	23.5	T	6.0	T		13.0	T	T	42.5
1926	1155	9.5	16.5.	6.0		T	T	1.5.	45.0
1927	4.5	7.0	1.0	6.5			2.0	1.0	16.0
Mean	955	9.2	5.8	1.2	T	0.6	1.6	6.3	31.5

T indicates trace. an smount less than o.c.

Not snowfall recorded in June, July, August, September, 1893-1927.

r J	an	Feb	Mar	Apr	May	Oct	No v	Dec	Annua
		5.0	T	8.5			T	1.5	46.0
	8.5	7.5	T	T			0.5	6.5	23.0
0 1	.0	5.0	0.5	2.0			м.	2.5	M
1	9.0	10.0	T	T		T	T	5.5	24.5
2 1	5.0	16.0	1.5	T	• • • • •	T	0.5	1.0	34.0
3 9.	.5	9.0	2.0	0	1.5		T	1.0	23.0
4 :	2.0	9.0	3.5	2.0			5.0	T	21.5
25	23.5	T	6.0	T		13.0	T	T	42.5
26	1155	19.5	16.5.	6.0		T	T	1.5.	45.0
27	4.5	7.0	1.0	0.5	••••	••••	2.0	1.0	16.0
ans	955	9.2	5.8	1.2	T	0.6	1.6	6.3	31.5

T indicates trace. an smarni less thom. 0.0/

Mcc snowfall recorded in June, July, August, September, 1893-1927.

Fonthly, Annual, and Mean Precipitation in inches at Marlinton.

S .L . Brown Observer

(1)

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	No v	Dec	Annua
1893		5 . 49	1.72	2.91	4.47	5.80				5.32	1.99	1.91	
			1.84			2.69					1.84		
			1.46		2,40					1.35	1.82	4.14	
			6.99			7.71	7.80	3.28	488	1.22	4.93	1.08	45.76
	2.17			2.85	7.06	5.59	5.65	2.74	0.80	0.95	4.08	4.64	47.6
	5.61		5.23	4.32	5.27	7.50	6.76	9.15	3.33	4.54	3.85	3.7	60.70
899	3.26	5.23	6.28	1.60	7.68	1.92	2.95	3. 43	4.01	1.56	0.83	3.09	41.93
900	1.99	5.22	4.99	2.25	2.80	5.32	5.69	2.42	2.57	1.90	7.1	1 2.9	9 45.18
	5.98		3.06				8.59						
				:	I CALLEDON	14			3.69				
							2.98					2.44	
						138							
			3.27					2.60				••••	•••••
1906													
1907												20	• • •
													•••••
									1 50	2 21		3.34	•••
1910	4.32	2.75	0.59	2.50	2.67	7.38	7.09	5. 58	3 56	3.31	1.90	3.34	48.23
1911	7.21	2.23	4.77	4.48	1.35	1.97	2.07	6. 54	3.50	2.03	1.14	3.63	48.23
1912	2.46	2.80	6.12	3.17	4.52	3.45	2.67	1.88	A 56	2.70	3. 66	4. 20	47.40
-,-,	2.27	2.10	2.00	3.75	5.20	2-85	4 70	2 74	_				
-347	2.72	3,19	4158-	4,58	1.54	2.37	3.73	5 22	1 75	2 0-	2 2		46.41
			33	** 00	3.34	4.46	3.90	4 20	4 30				
		20.70	4.40	3.70	3.72	5.32	7.77	4 70					46.24
1917	4,63	3.62	9.40	2.70	4.09	2.03				1.70	1.75	3.38 2.11 4	47.88

continued on the other speces,


Monthly and Annual Precipitation In Inches at Arbovale. from 1924 to August 1940 no days missing. H.S.Sutton Observer.

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	No v	Dec	Annua
1925	1.63	1.64	3.16	2.05	2.83	2.68	6.67	1.23	3.14	4.78	3.36	1.24	37-37
1926	2.97	2.50	2.09	. 48	2.84	2.39	6.49	6.85	3.00	4.23	3.16	4.76	42.36
1927	2.04	4.96	1.43	6.58	1.69	3.72	4.31	5.72	1.15	3.72	3.05	3.57	41.94
1928	2.22	1.81	2.36	3.50	1.59	7.15	5.01	4.73	3.18	1.53	3. 43	1.54	39.05
1929	3.09	0.97	2.79	3.30	6.79	3.80	2.30	2. 44	0. 73	6.05	3.95	1.08	36.29
1930	0.76	1.74	2.00	1.96	1.09	2.72	1.48	1.95	1.36	0.50	1.63	2.43	19.62
1931	0.97	1.99	2.73	2.02	4.21	3. 20	4.88	7.08	2.91	1.11	1.39	2.89	35.38
1932	3.73	4.42	4.10	1.80	3.64	3.63	6. 41	2.31	1.34	4.17	3.62	1.86	41.03
1933	3.09	3.23	3.92	4.05	5.25	2.52	7.47	3.67	1.59	1,41	0.95	2.26	39.41
1934	2.06	0.00	3.15	2.00	2.40	2.83	2.10	3.37	5.77	1,23	4.65	2.08	31.64
1935	2.68	1.75	5.74	2.52	5. 68	5.76	6.55	6.58	3.86	130	3.35	1.15	46.92
1936	2.17	1.23	3.30	1.55	2.29	3.50	4.83	2.32	2.84	3.78	1.02	3.92	32.85
1937	6.32	1.69	0.69	3.08	2.58	2.90	4. 40	4.00	2.28	7.852	.1.03	0.43	37.23
1938	0.89	2.08	2.28	1.78	5. 41	5.10	2.28	1.93	5.48	0.65	3.93	0.65	32.74
1939	2.70	5.61	3.33	3.89	2.94	4.70	9.48	1.96	1.93	2.31	0.16	1.37	39.74
1940	0.79	1.72	2.90	3.48	5.04	7.82	5.11	4.37		•••			3123

Monthly and Annual Snowfall in inches at Arbovale from 1924 to April 1940 no days missing. H.S.Sutton Observer.

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	No v	Dec	Annua
1925	22.0	T	T	T	T					T	T	2.0	24.00
1926	12.50	15.00	13.00	12.5	60						1.00		54.0
1927	6.00	6.00		1.50	••••					5.00	1.50		20.
1928	2.00	5.50	15.50	18.00						т	11.00	3.00	55.0
1929	5.00	15.00	6.00	1.50							5.50	11.00	44.0
1930	8.00	3.00	T	3.50						2.00	5.50	11.50	33.5
1931	5.50	0.50	19.00	14.50	Т					T	T 4	ē. 75	44.25
1932	1.00	4.50	9.00	1.25						. 0.50	0.25		16.50
1933	5.00	2.50	5.00	0.25.							9.50	9.00	30.25
1934	2.00	17.0	11.00	2.00						. т	1.00	8.50	41.50
1935	18.5	50 4.0	3.00	4.00							. 4.00	26.00	59.50
1936	8.00	1625	23300	2.55	• • • • • • • • • • • • • • • • • • • •		• • • • •				2.50	11.00	63.50
193	2.50	10.5	0 8.00	1.00						1.50	2.50	15.50	41.50
193	8 4.50	7.00	1.50	1.50			••••••				10.00	7.00	31.50
193	9 27.0	0 2.50	0.50	1.00	•••	·····				1.00	9.50	7.50	49.20
194	0 15.5	0 8.50	2.00	2.00	• • •			. Aug					

through the



Annual and Monthly Temperature in Degrees showing the Maximum, and - Minkmum per month, during the year, No dates missing from 1925 to 1940 taken at Arbovale by H .S . Sutton Cooperative Observer

ī-	Minimum	The second secon	Feb 56	Mar 62	Apr 82	May 82	June 83	July 82	Aug 83	Sept 88	Oct 66	No v	Dec 53
The second of	Minimum	-16	8	04	20	26	42	40	34	42	20	15	04
	Max-	51	57	60	72	80	81	89	90	82	80	61	48
926	Min -	08	2	95	17	29	36	38	47	44	20	10	6
	Max-	56	64	72	77	86	81	82	78	82	84	68	58
1927	Min-	9	20	12	18	28	36	38	41	29	24	18	6
	Max-	56	51	66	68	76	80	86	86	75	76	58	50
1928	Min-	04	_ 8	8	16	24	28	42	52	27	12	8	4
	Max-	57	48	74	74	77	80	82	78	83	66	64	54
1929	MIn-	04	04	0	21	27	30	34	36	26	22	06	08
	Max-	56	62	58	77	80	88	98	100	87	73	65	50
1930	Man-	-9	-16	2	22	28	28	38	32	33	6	4	-18
	Max-	50	48	59	73	86	92	95	90	86	72	66	58
1931		-13	10	14	26	28	34	48	38	32	22	14	08
	Max-	66	70	60	70	78	80	82	82	92	65	56	58
1932	Hin-	14	10	-2	16	29	31	40	42	24	18	0	8
	Max-	54	52	56	68	76	82	83	76	83	72	72	58
933	Man-	-1		01.	17	33	30	34	39	42	15	-8	-4
	Max-	52	47	58	70	84	86	92	83	82	76	58	48
	Min-	10	-25	-2	16	32	38	46	39	28	18	10	-2
	Max -	58	50	64	72	73	77	78	80	74	72	67	44
	Min-		01	12	12	28	36	53	39	26	17	04	-12
	Max-	40	54	62		32 82	82	88	90	90	70	66	44
	Min-		-7	15	12	26	32	40	40	28	16	07	10
	Max-	54	64	58	74	80	84	82	85	80	74	62	48
	Min-	48	04	1	18	26	42	38	46	26	16	04	-5
938 M	ax-		55	74	76	86	76	78	8476		81	66	46
				12	18	28	32	44	38	38	16	-16	-9
939 1			61	68	80	82	95	86	90	86	76	62	54
	in-	46	40	-2	12	18	40	36	42	30	13	8	0
940 1	ACCOUNT OF THE PARTY OF THE PAR	DEGREE TO	-3	64	72	82	84	96	80		- 3		1 77
1 10	-	-11	-3	03	10	18	30	33	42				
													1

The highest elevation of ridges or Knobs in Pocahontas County are as follows, as shown by the Geological Survey of Pocahontas County.

Bald Knob..... Mountain. Thorny Flat,..... 4839 feet, at junction of Cheat and Back Alleheny Spruce Knob, 4710 Cest On Red Lick Moubain in Edray Dis-t Mace Knob, 4705 feet South-East of Mace Big Spruce Knob, 4695 feet In William River · section Fleber Ridge 4602ffeet Spur from main Allegheny Black Mountain...... 4625 feet Williams River and Yew Mountains Brier Knob 4518 feet South-west of Hills Creek Remshorn..... 4450 feet Spur from main Allegheny Paddy Knob 4494 feet On Allegheny South of Frost. Summit School..... 4335 feet On Allegheny mountain on State line Emoke Comp Knob 4218 feet On Fork Mountain East of Thornwood. Tenrack Ridge 4400 feet On Allegheny Mountain , onState line Gibson Knob 4415 feet South east end of Slaty Fork ridge. Guinn Ridge. 4250 feet Head of Galfords creek . Mad Tom . On Allegheny ... 4050 feet East of Minnahaha Red lick Wountain 4690 feet West of Old Field Fork of Elk of Elk. Buffele Ridge 4400 feet North of North Fork of Deer Creek. Dwage Wauntain 4430 feet Northwest of Buckeye ... 4600 feet Western Edrk Ditrict . Tew Hountains Tes Creek Mountain 4650 feet Southwest of Slaty fork.

1 mg